BOROSIL® Scientific

Certificate Download from website Guide Step-by-Step Instructions



WHATS NEW

Direct NABL Certificate Download:

• Our platform now allows users to conveniently download their NABL certificates directly from our app or website. This feature simplifies the process of accessing and obtaining NABL certificates online.

• Online Bottle Batch Certificate Download:

• Users can now access and download Bottle Batch certificates by Batch Date through our online portal. This enhancement offers users a seamless way to obtain their Bottle Batch Certificates conveniently from our website.

• User Guide Integration:

• We've incorporated a comprehensive user guide within our app to assist users in effectively navigating its features and functionalities. This guide offers step-by-step instructions and explanations to improve user understanding and usability.

• Simplified and Uniform Downloading Functionality:

• We've revamped the certificate downloading process to provide a more intuitive and consistent experience across all certificate types. Users can now expect a streamlined and uniform approach when obtaining their certificates from our platform.

OTP Service for Authentication:

• To ensure secure access to certificates, we've implemented an OTP (One-Time Password) service. Users can now receive an OTP via SMS and email, adding an extra layer of verification to safeguard their account and certificate downloads.

HOW TO FIND CODE AND QR CODE ON PRODUCT

QR Code

and

Customer Code





Class A Test Certificate Unique Code/ QR Code Class A Batch Certificate Batch Code/ QR Code NABL Calibration Certificate Unique Code/ QR Code

10200



Bottle Batch Certificate Retrace Code



Batch Date on Outer Label



Our Business Division

Engage with the specialized divisions pioneering advancements in various fields

- Visit the Borosil Scientific website: Go to www.borosilscientific.com.
- Find the "Product Certificate" tab: Once you're on the relevant page or website, search for the top menu. Look for a tab named "Product Certificate" or something similar.
- Click on the "Product Certificate" tab: Once you've located the tab, click on it to access the section where you can download the certificates for the products.

	Login			And Street and
	Enter Username		Username	ver 100 acres
	User Name Enter Password Password	0	Password	The second s
	TKZYU		Captcha Image	sertificatos of aux medicata hu
	Enter Captcha Captcha		Captcha fill	on with us. To do this, we need ill be used in strict accordance lines and only for internal use
ot ord	Forgot password? Don't have an account? Register here	Register Here	and documentation purper user of Borosil, simply to password and download	oses. Once you are a registered ogin with your user name and the product certificates in no-

- To Download Certificate, log in using your User name, password, and Captcha provided. Follow these steps:
- Enter your User ID and password in the designated fields.
- Solve the Captcha challenge provided to verify that you are not a robot.
- Click on the "Sign in" button to access your account.

Scientific	Login ->> User Guide II India
	State of the att manufacturing tacility of Bharuch spread over 100 acres
Forgot Password	
Enter Registered Email Id	
Email Id Send Password	Dear Customer, You can now download the certificates of our products by doing a one-time registration with us. To do this, we need your basic details, which will be used in strict accordance with data protection guidelines and only for internal use and documentation purposes. Once you are a registered user of Borosil, simply login with your user name and password and download the product certificates in no- time !

- If you forgot your password, click on the "Forgot Password?" link on the login page.
- Enter your registered email address.
- Follow the instructions sent to your email to reset your password.



Registration	
Email Id *	Name *
Enter Email Id	Enter Name
Designation *	Company *
Enter Designation	Enter Company Name
Address	City
Enter Address	Enter City
Zip Code	State State
Enter Zip Code	Enter State
Country	Telephone
Enter Country	Enter Telephone Na.
Mobile No.	Fax
Enter Mobile No.	Enter Fax
343989	Enter The code Shown in Captcha Image
(Note: If you cannot read the numbers in the above image, click on "Reload" to generate a new one.)	CI I have read and confirm Privacy Policy
Re	ngister

- If you're a new user, click on the "Register Here" option on Login Page.
- Fill out the registration form with your details, including name, email address, and password.
- Check the checkbox to indicate that you agree to the privacy policy.
- Solve the Captcha challenge to verify your identity.
- Click on the "Register" button to create your account.

HOME PAGE

Upon clicking the "Sign in" button on the login page, you'll be directed to the following "Home page":



✤ Home Page:

- Four types of certificates are prominently displayed on the home page, making it easy for users to identify and download the specific certificate they require.
 - I. Class A Test Certificate: This certificate is issued for successful completion of a test or examination.
 - 2. Class A Batch Certificate: This certificate is issued for completion of a batch or group of activities.
 - 3. NABL Calibration Certificate: This certificate is issued by an accredited laboratory, ensuring the accuracy and reliability of calibration services.
 - 4. Bottle Batch Certificate: This certificate is issued for a specific batch of bottles, indicating quality standards and specifications.
- > Each certificate type is clickable, directing users to the respective download page or process.

> Navigation Bar:

- A personalized welcome message greets users, displaying their email ID for a more personalized experience.
- Five menu options are available for easy navigation:
 - I. Home: Directs users back to the home page.
 - 2. User Guide: Provides users with guidance and instructions on how to navigate and utilize the website effectively.
 - 3. Update Profile: Allows users to modify their personal information, such as name, contact details, etc.
 - 4. Change Password: Enables users to change their account password for security purposes.
 - 5. Sign Out: Logs users out of their account to ensure privacy and security when they're done using the website.

CLASS A TEST CERTIFICATE

This selection allows users to input the Unique Code number in a designated Text box.

- Search Button:
 - After inputting the Unique Code number or Scanning QR Code by connect QR Code Scanner to your device, users click on the "Search" button.
 - Upon clicking, the selected certificate is added to the grid displayed below. ٠
- Download Certificate Button:
 - Once the certificate is added to the grid, users have the option to download it.
 - They can do this by clicking on the "Download Certificate" button. ٠
- Export Excel Button:
 - In addition to downloading the certificate, users can export the certificate details in Excel format.
 - They can achieve this by clicking on the "Export Excel" button. ٠
 - If you hover over or click the question mark symbol, a pop-up window will appear, guiding you on how to find the QR code and unique code on the product.





CLASS A BATCH CERTIFICATE

This selection allows users to input the Batch Code number in a designated Text box.

- Search Button:
 - After inputting the Batch Code number or Scanning QR Code by connect QR Code Scanner to your device, users click on the "Search" button.
 - Upon clicking, the selected certificate is added to the grid displayed below.
- Download Certificate Button:
 - Once the certificate is added to the grid, users have the option to download it.
 - They can do this by clicking on the "Download Certificate" button.
- Export Excel Button:
 - In addition to downloading the certificate, users can export the certificate details in Excel format.
 - They can achieve this by clicking on the "Export Excel" button.
 - If you hover over or click the question mark symbol, a pop-up window will appear, guiding you on how to find the QR code and Batch code on the product.



BOROSII	3	
Scientifi	C	
Borosil Scientific L	imited	
Formerly known as Klass Pack L CIN: U74999MH1991PI	mited) LC061851	
Corporate & Registered	Office at :	
101, Crescenzo, G-Block, O Aumbai - 400 051, Maharasi	pp. MCA Club, Bandra Kurla Complex, Bandra (C). htra, India	
fel : +91 22 6740 6300 Fax : +91 22 6740 6514	Email : lab.customercare@borosil.com Website : www.borosilscientific.com	Class A TEST CERTIFICATE
	Batch Certifica	<u>te</u>
Certificate No.	: 03-20-008	Date: 03-Mar-2020
Test Method	: Gravimetric Method based on	ISO 4787
Item Tested	: WM VOL.FLASK - 25 ml	
Catalogue No.	: 5643	
Batch No.	: 03-20-008	
Nominal Volume	: 25.00 ml	
Tolerance	: ± 0.06 ml	DT : N/A
Item Tested On	: 29-Feb-2020	
The product was f	ound to contain the following volu	me at reference temp. 20 °C.
Mean Volume	: 25.01 ml	
Std. Deviation	: ± 0.0051 ml	
The Product has <mark>b</mark>	een calibrated with following device	ces:
Balance : Thermometer : All the above devi	Make: Met.Toledo, S.N.: B107112 Make: Greisinger, S.N.: TS PR 08, ces have valid calibration traceable	2570, Range: 0-1020 g, LC: 1 mg , Range: 15-35 °C, LC: 0.1 °C e to NPL (National Metrology
Institute). India: 1	raceable to CIPM France.	e to the (national frictiology
This product has l	peen examined for compliance to E	EN ISO 1042, Class A.
It has been found	to satisfy the specified requirement	nts. The above item has been
calibrated at 23.7	°C at RH 46.0 %.	
The above calibra	tion results are valid at the time of	t calibration under lab condition.
from M/s Borosi	Scientific Limited.	ness with written permission
Note : Borosilicate v is not exposed to hy not heated above 15 indicates that chemi precaution, however	rolumetric glassware will hold its calibra drofluoric acid, hot phosphoric acid, or i0°C when dry. A frosting of the glass s cal attack has occurred, and recalibratic , it is recommended that the glassware of its appearance. (Ref. ASTM E542 Pa	ation indefinitely provided that it strong, hot alkalis, and that it is surface (viewed when dry) on may be in order. As a be recalibrated after ten years ara 4.2)
of service regardless		Authorised Signatory
of service regardless		
Calibrated by	: PRP	10 souther.
calibrated by Date and Time o	: PRP f Print : 11-Mar-2024 04:43 PM	Warmson.

NABL CALIBRATION CERTIFICATE

This selection allows users to input the Customer Code number in a designated Text box.

- Search Button:
 - After inputting the Customer Code number or Scanning QR Code by connect QR Code Scanner to your device, users click on the "Search" button.
 - Upon clicking, the selected certificate is added to the grid displayed below.
- Download Certificate Button:
 - Once the certificate is added to the grid, users have the option to download it.
 - They can do this by clicking on the "Download Certificate" button.
- Export Excel Button:
 - In addition to downloading the certificate, users can export the certificate details in Excel format.
 - They can achieve this by clicking on the "Export Excel" button.
 - If you hover over or click the question mark symbol, a pop-up window will appear, guiding you on how to find the QR code and unique code on the product.







CALIBRATION CERTIFICATE

			ULR No. : C	C291924000000002
			Certificate No.	: 240000000
Calibrated for			Issue Date	: 04-Jan-2024
BOROSIL SCIENTIFIC LT 1101, Crescenzo,G-Block Bandra Kurla Complex, Ba Mumbai.	ΓD. , Opp. MCA Club, andra (East),		Customer ID No. Customer Ref. Condition of Material	: BS 073 410G : SRF No 3614 : Satisfactory
Sample Description	: 2021 - Volumetric Flask,A	lmber		
Capacity	: 25 ± 0.04 ml at 27 °C	Least Co	ount	: NA
Lab Sr. No./ID No.	: V24010094	Location	of Performance	: BLCL, Bharuch
Date of receipt	:03-Jan-2024	1	Date of calibration	: 03-Jan-2024
Calibration Purpose	: Measurement of Volume			
Environmental conditions	: Temperature	: (23±2) °	c	
	Relative Humidity	: (50.0±1	5.0) %RH	
Nominal capacity (ml)	Actual capacity (ml)	<u>*DT (s)</u>	Expanded uncertain	nty(@95% C.L. k=2)
25 ml	24.9893 ml	NA	± 0.00	029 ml
> Statement of Conformity	: The above Product has b Class "A" tolerances and a limits.	een examined fo bove results are	or the compliance to found within the spe	EN ISO 1042. cified tolerances
> Calibration Method	: Borosil Limited Calibration ISO 4787	n Laboratory Pro	ocedure No. : BLCL/L	.2/17 based on
> Traceability of major equipr	ments / material / <mark>sta</mark> ndards	used		
Equipment	ID No with Range	Certificate M	No.	Valid upto
Set of Weights :	VGWL/WT/08 (0.001-200 g)	WMCL/F/2023-07	/2550	21-Jul-2025
	19 <u>1</u>	192		20

All the above equipment are traceable to National Standards through NABL accredited Laboratory.

- Note :
 - This calibration results in this certificate are valid at the time of and under the stated conditions of measurement for the particular sample identified above.
 - This calibration certificate shall not be reproduced except in full without written permission of laboratory.
 - Suggestion Borosilicate volumetric glassware will hold its calibration indefinitely provided that it is not exposed to hydrofluoric acid, hot
 phosphoric acid, or strong, hot alkalis, and that it is not heated above 150°C when dry. A frosting of the glass surface (viewed when dry)
 indicates that chemical attack has occurred, and recalibration may be in order. As a precaution, however, it is recommended that the
 glassware be recalibrated after ten years of service regardless of its appearance. (Ref. ASTM E542-01 Para, 4.2)

Calibrated by : Ammara Sheth (Technical Assistant)

Checked by : Sandip Desai (HOD - Technical Operations)

Authorised Signatory : Satish Chitriv (HOD - QMS & LMS)





Email : calibration@borosil.com Phone : (02645) 258382 "DT (s) - Delivery time in second

Format No. : BLCL/L4/43

----- End of the Certificate -----This document is digitally signed and does not require signature Page 1 of 1

BOTTLE BATCH CERTIFICATE

Two fields appear: one for entering the Retrace Code and another for selecting a date from a Dropdown menu.

- Entering Retrace Code:
 - Input the retrace Code into the designated field.
 - Upon entering the batch number, the Dropdown menu below populates with all available dates corresponding to that Retrace Code.
- Selecting Date and Searching:
 - Choose a specific date from the Dropdown menu.
 - Click on the "Search" button.
 - The selected certificate is then added to the grid displayed below.
- Download Certificate Button:
 - Once the certificate is added to the grid, users can download it.
 - They can do this by clicking on the "Download Certificate" button.
- Export Excel Button:
 - Users also have the option to export the certificate details in Excel format.
 - They can accomplish this by clicking on the "Export Excel" button.
 - If you hover over or click the question mark symbol, a pop-up window will appear, guiding you on how to find the QR code and Retrace code on the product and Date on the Label.



BOROSIL' Scientific

Sachin Parmar 💄 🖂 🛛 User Guide 🗒



Sign Out 🕀

Sign Out (+



Bottle Batch Certificate

Retrace Code : *	Date. :		
3301GG110F	24-jul-2023		
Please Enter Retrace Code 😧 Q Search	24-jul-2023 23-jul-2023 22-jul-2023 19-jul-2023 17-jul-2023		

Retrace Code : *		Date. :			
P	lease Enter Rei	trace Code	0	Please Sele	ct Batch Date 🕜
4	Q Search 🔒 Down	load Certificate	Export Excel		
P	Product Code	Capacity	Retrace-Code	Lot-Date	Description
0	1501033	5 L	3301GG110F	24-Jul-2023	BOTTLE REAGENT NM WITH SCREW CAP 5 L
Ø	1501033	5 L	3301GG110F	23-Jul-2023	BOTTLE REAGENT NM WITH SCREW CAP 5 L
2					



Conformity Certificate

This is to certify that the borosilicate laboratory glassware articles manufactured and sapplied with BOROSIL brand comply with ISO 3585 and is classed as Borosilicate Glass 3.3, Type I and fulfills the requirements of US Pharmacopoeia (USP) & European Pharmacopoeia (Ph. Eur.).

Borosilicate products manufactured and marketed by Borosil Scientific Ltd. have the following glass properties:

CHEMICAL COMPOSITION

CONTENT APPROX, % BY WEIGHT \$10: \$1 B:Ob 13 Na:O/K:O 4 AI:Os 5

The glass is virtually free of magnesia - lime - zinc groups and contains only traces of heavy metals.

CHEMICAL & PHYSICAL PROPERTIES

: 3.3 x 10* cm/cm/°C	
: Class I (ISO 1776)	
: Class I (ISO 719/720)	
: Class 2 (ISO 695)	
	2 3.3 x 10** cm/cm/°C 2 Class I (ISO 1776) 2 Class I (ISO 719/720) 2 Class 2 (ISO 695)

The 1501 - Screw Cap Bottles meet the ISO 4796 -1 requirements and inspected & passed according to ISO 2859-1. Product Code : 1501033 :5L Capacity BOTTLE REAGENT NM WITH Article Description SCREW CAP 5 L : 3301KG015G **Retrace** Code Date of manufacture : 22/11/2023

Sections : DGM - QA

Issued by

Note: The above information is applicable only to the bottles manufactured & supplied by Borosil Scientific Limited



1000ml - 500 - 400 1500 - 300 -200- 100

900 - 800

- 700

- 600

BOROSIL'



IRTIEIED COMPANY

Conformity Certificate

This is to certify that the borosilicate laboratory glassware articles manufactured and supplied with BOROSIL brand comply with ISO 3585 and is classed as Borosilicate Glass 3.3, Type I and fulfills the requirements of US Pharmacopoeia (USP) & European Pharmacopoeia (Ph. Eur.).



Borosilicate products manufactured and marketed by Borosil Scientific Ltd. have the following glass properties:

CHEMICAL COMPOSITION

CONTENT	APPROX. % BY WEIGHT
SiO ₂	81
B2O3	13
Na2O/K2O	4
Al ₂ O ₃	2
10000000	9 7 0

The glass is virtually free of magnesia - lime - zinc groups and contains only traces of heavy metals.

CHEMICAL & PHYSICAL PROPERTIES

: 3.3 x 10 ⁻⁴ cm/cm/°C
: Class I (ISO 1776)
: Class I (ISO 719/720)
: Class 2 (ISO 695)

BOROSIL

The 1501 - Screw Cap Bottles meet the ISO 4796 -1 requirements and inspected & passed according to ISO 2859-1.

Product Code	: 1519033
Capacity	: 5 L
Article Description	: BOTTLE RE L AMBER
Retrace Code	: 3319IG015G
Date of manufacture	: 09/01/2024

Sschitz

DGM - QA

Issued by

Note: The above information is applicable only to the bottles manufactured & supplied by Borosil Scientific Limited.



Borosil Scientific Limited



Amber Bottle Certificate

Clear Bottle Certificate

THANK YOU